EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	108	@ay<"2000" and ((location or region or geographic$3) near (based or specific)) with (service) and ((uniform$3 or standard $5) with (format$5 or template request quer $3 or job or task or inquir$4))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/28 22:47
L2	26	@ay<"2000" and ((location or region or geographic$3) near (based or specific)) with (service) and ((uniform$3 or standard $5) with (format$5 or template request quer $3 or job or task or inquir$4)) and adapter	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/28 22:48
L3	74	@ay<"2000" and ((location or region or geographic$3) near (based or specific)) with (service) and ((uniform$3 or standard $5) with (format$5 or template request quer $3 or job or task or inquir$4)) and (adapter or module)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/28 22:48
L5	0	@ay<"2000" and (((location or region or geographic$3) near (based or specific)) with (service) and ((uniform$3 or standard $5) with (format$5 or template request quer $3 or job or task or inquir$4)) and (adapter or module)).clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/28 22:54
S1	65	@ay<"2000" and GML and (internet or web$7)	US-PGPUB; USPAT	OR	ON	2005/04/13 21:28

S2	61	@ay<"2000" and GML and (internet or web$7) not (ibm or "international business machine").as.	US-PGPUB; USPAT	OR	ON	2005/04/13 21:28
S3	61	@ay<"2000" and GML and (internet or web$7) not (ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2005/04/13 21:29
S4	59	@ay<"2000" and GML and (internet or web$7) and (format$5 or view $4 or display$4) not (ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2005/04/13 21:30
S5	32	@ay<"2000" and GML and (internet or web$7) and (format$5 or view $4 or display$4) and browser not (ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2005/04/13 21:30
S6	32	@ay<"2000" and GML and (internet or web$7) and ((format$5 or view $4 or display$4) with browser) not (ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2005/04/13 21:30
S7	32	@ay<"2000" and GML and (internet or web$7) and ((format$5 or view $4 or display$4) with (browser or webbrowser)) not (ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2005/04/13 21:31
S8	31	@ay<"2000" and GML and (internet or web$7) and ((format$5 or view $4 or display$4) with (browser or webbrowser)) and ((location or proximity or address) with (base $2 or depend$7 or rely $4 or reliant)) not (ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2005/04/13 21:32

S9	31	@ay<"2000" and GML and (internet or web$7) and ((format$5 or view$4 or display$4) with (browser or webbrowser)) and ((location or proximity or address or zipcode) with (base$2 or depend$7 or rely$4 or reliant)) not (ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2005/04/13 21:32
S10	31	@ay<"2000" and GML and ((request$4 or quer$7 or summon$4) with (internet or web$7)) and ((format$5 or view$4 or display$4) with (browser or webbrowser)) and ((location or proximity or address or zipcode) with (base$2 or depend$7 or rely$4 or reliant)) not (ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2005/04/13 21:34
S11	31	@ay<"2000" and GML and ((request$4 or quer$7 or summon$4) with (internet or web$7)) and ((format$5 or view$4 or display$4) with (browser or webbrowser)) and ((location or proximity or address or zipcode) with (base$2 or depend$7 or rely$4 or reliant)) and object not (ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2005/04/13 21:34

S12	31	@ay<"2000" and GML and ((request$4 or quer$7 or summon$4) with (internet or web$7)) and ((format$5 or view$4 or display$4) with (browser or webbrowser)) and ((location or proximity or address or zipcode) with (base$2 or depend$7 or rely$4 or reliant)) and (dynamic) not (ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2005/04/14 14:10
S13	0	@ay<"2000" and (GML and "Geography Markup Language") and ((request$4 or quer$7 or summon$4) with (internet or web$7)) and ((format$5 or view$4 or display$4) with (browser or webbrowser)) and ((location or proximity or address or zipcode) with (base$2 or depend$7 or rely$4 or reliant)) and (dynamic) not (ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2005/04/14 14:10
S14	0	@ay<"2000" and (GML and "Geography Markup Language") and ((request$4 or quer$7 or summon$4) with (internet or web$7)) and ((format$5 or view$4 or display$4) with (browser or webbrowser)) and ((location or proximity or address or zipcode) with (base$2 or depend$7 or rely$4 or reliant)) not (ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2005/04/14 14:11

S15	0	@ay< "2000" and (GML and "Geography Markup Language") and ((request$4 or quer$7 or summon$4) with (internet or web$7)) and ((format$5 or view $4 or display$4) with (browser or webbrowser)) not (ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2005/04/14 14:11
S16	0	@ay< "2000" and (GML and "Geography Markup Language") not (ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2005/04/14 14:11
S17	0	@ay< "2000" and (GML and "Geography Markup Language")	US-PGPUB; USPAT	OR	ON	2005/04/14 14:11
S18	0	@ay< "2000" and (GML and "Geography Markup Language")	US-PGPUB; USPAT	OR	ON	2005/04/14 14:12
S19	11	(GML and "Geography Markup Language")	US-PGPUB; USPAT	OR	ON	2005/04/14 14:18
S20	11	("Geography Markup Language")	US-PGPUB; USPAT	OR	ON	2005/04/14 14:23
S21	9	("Geography Markup Language") not (ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2006/02/23 11:27
S22	5	@ay< "2002" and ("Geography Markup Language")	US-PGPUB; USPAT	OR	ON	2006/02/23 11:28
S23	1	@ay< "2002" and ("Geography Markup Language") and "709". clas.	US-PGPUB; USPAT	OR	ON	2006/02/23 11:28
S24	22	@ay< "2002" and (GML or (geography adj markup adj language)) and "709".clas.	US-PGPUB; USPAT	OR	ON	2006/02/27 11:49
S25	0	20020126701A1	US-PGPUB; USPAT	OR	ON	2006/02/27 11:49
S26	1	"20020126701"	US-PGPUB; USPAT	OR	ON	2006/02/27 11:49
S27	2	"6098172".pn. "5983350".pn.	US-PGPUB; USPAT	OR	ON	2006/08/15 12:36

S28	1	"6938096".pn.	US-PGPUB; USPAT	OR	ON	2006/08/10 14:03
S29	3	("6842737" "6593943" "6826542").pn.	US-PGPUB; USPAT	OR	ON	2006/08/10 18:51
S30	2	"20030114896"	US-PGPUB; USPAT	OR	ON	2006/08/15 12:36
S31	2	"6098172".pn. "5983350".pn.	US-PGPUB; USPAT	OR	ON	2006/08/15 12:36
S33	358	@ay<"2002" and (gml or (geograph$4 adj markup adj language))	US-PGPUB; USPAT	OR	ON	2007/05/24 21:41
S34	25	@ay<"2002" and (gml or (geograph$4 adj markup adj language)) and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/05/24 21:41
S35	32	@ay<"2002" and (gml or (geograph$4 adj markup adj language)) and ("707" or "709").clas.	US-PGPUB; USPAT	OR	ON	2007/05/24 21:42
S36	23	@ay<"2002" and (gml or (geograph$4 adj markup adj language)) and ("707" or "709").clas. and ((web or home) adj (page or site))	US-PGPUB; USPAT	OR	ON	2007/05/24 21:44
S37	2	"20030114896"	US-PGPUB; USPAT	OR	ON	2007/12/07 20:11
S38	2	"20020035605"	US-PGPUB; USPAT	OR	ON	2007/12/07 20:12
S39	339	@ay<"2002" and (location adj based adj service)	US-PGPUB; USPAT	OR	ON	2007/12/07 23:31
S40	24	@ay<"2002" and (location adj based adj service).ti.	US-PGPUB; USPAT	OR	ON	2007/12/07 23:31
S41	0	@ay<"2002" and (location adj based adj service).ti. and gml	US-PGPUB; USPAT	OR	ON	2007/12/07 23:40
S42	0	@ay<"2002" and (location adj based adj service).ti. and (gml or (geograph$5 adj mark adj up adj language))	US-PGPUB; USPAT	OR	ON	2007/12/07 23:40

S43	0	@ay<"2002" and (location adj based adj service).ti. and (gml or (geograph$5 adj markup adj language))	US-PGPUB; USPAT	OR	ON	2007/12/07 23:41
S44	4	@ay<"2002" and (location adj based adj service) and (gml or (geograph$5 adj markup adj language))	US-PGPUB; USPAT	OR	ON	2007/12/07 23:41
S45	1	@ay<"2002" and (location adj based adj service) and (gml or (geograph$5 adj markup adj language)) and ((format$4 or translat$3) with (request))	US-PGPUB; USPAT	OR	ON	2007/12/08 16:51
S46	1	@ay<"2002" and (location adj based adj service) and (gml or (geograph$5 adj markup adj language)) and ((format$4 or translat$3) with (request))	US-PGPUB; USPAT	OR	ON	2007/12/08 20:42
S47	1	S46 and (format$4 with request)	US-PGPUB; USPAT	OR	ON	2007/12/08 20:42
S48	2	"2717847"	US-PGPUB; USPAT	OR	ON	2008/06/09 00:00
S49	1	"2717847".pn.	US-PGPUB; USPAT	OR	ON	2008/06/09 00:00
S50	1	"20020126701"	US-PGPUB; USPAT	OR	ON	2008/06/09 00:00
S51	3	@ay<"2000" and GML and (707/724 709/217).ccls.	US-PGPUB; USPAT	OR	ON	2011/03/28 16:06
S52	0	@ay<"2000" and GML.clm. and (707/724 709/217).ccls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2011/03/28 16:07
S53	7	@ay<"2000" and GML.clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/28 16:07

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S54	1606	@ay< "2000" and (707/724 709/217).ccls.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/28 16:08
S55	115	@ay< "2000" and (707/724 709/217).ccls. and ((location or region or geographic$3) near (based or specific))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/28 16:08
S56	9	@ay< "2000" and (707/724 709/217).ccls. and ((location or region or geographic$3) near (based or specific)) with (service)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/28 16:09
S57	0	@ay< "2000" and (707/724 709/217).ccls. and ((location or region or geographic$3) near (based or specific)) with (service) and ((uniform$3 or standard$5) with (format$5 or template request))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/28 16:09
S58	0	@ay< "2000" and (707/724 709/217).ccls. and ((location or region or geographic$3) near (based or specific)) with (service) and ((uniform$3 or standard$5) with (format$5 or template request quer $3 or job or task or inquir$4))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/28 16:10
S59	1	@ay< "2000" and ((((location or region or geographic$3) near (based or specific)) with (service) and ((uniform$3 or standard$5) with (format$5 or template request quer $3 or job or task or inquir$4))).clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/28 16:10

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp

L4	26	@ay<"2000" and ((location or region or geographic$3) near (based or specific)) with (service) and ((uniform$3 or standard$5) with (format$5 or template request quer $3 or job or task or inquir$4)) and adapter	USPAT; UPAD	OR	ON	2011/03/28 22:48
L6	0	@ay<"2000" and ((((location or region or geographic$3) near (based or specific)) with (service) and ((uniform$3 or standard$5) with (format$5 or template request quer $3 or job or task or inquir$4)) and (adapter or module)). clm.	USPAT; UPAD	OR	ON	2011/03/28 22:54
S60	0	@ay<"2000" and GML.clm. and (707/724 709/217). ccls.	USPAT; UPAD	OR	ON	2011/03/28 16:07
S61	7	@ay<"2000" and GML.clm.	USPAT; UPAD	OR	ON	2011/03/28 16:07
S62	0	@ay<"2000" and (707/724 709/217). ccls. and ((location or region or geographic $3) near (based or specific)) with (service) and ((uniform$3 or standard$5) with (format$5 or template request quer $3 or job or task or inquir$4))	USPAT; UPAD	OR	ON	2011/03/28 16:10

| S63 | 0 | @ay<"2000" and (707/724 709/217). ccls. and (((location or region or geographic$3) near (based or specific)) with (service) and ((uniform$3 or standard$5) with (format$5 or template request quer $3 or job or task or inquir$4))).clm. | USPAT; UPAD | OR | ON | 2011/03/28 16:10 |
| S64 | 1 | @ay<"2000" and (((location or region or geographic$3) near (based or specific)) with (service) and ((uniform$3 or standard$5) with (format$5 or template request quer $3 or job or task or inquir$4))).clm. | USPAT; UPAD | OR | ON | 2011/03/28 16:10 |

3/ 28/ 11 10:55:34 PM
C:\ Documents and Settings\ achoudhury\ My Documents\ EAST\ Workspaces
\ azizul10077012.wsp